



# Lapping film

Film

FRP/Plastic

Roll/Optical fiber

High tech engineering

Other industries

## Product Description

Lapping film is coated with ultrafine abrasive particles uniformly dispersed in a resin adhesive.

It does not cause deep scratches and provides a uniformly finished surface.

The film can be used for both dry and wet processes, and can be selected according to the requirement.

## Product Information

| Type | Base material | Grain   | Base material thickness | Grit |     |     |     |      |      |      |      |      |      |      |       |       |
|------|---------------|---------|-------------------------|------|-----|-----|-----|------|------|------|------|------|------|------|-------|-------|
|      |               |         |                         | 320  | 400 | 600 | 800 | 1000 | 1500 | 2000 | 3000 | 4000 | 6000 | 8000 | 10000 | 20000 |
| LWF  | Film          | WA      | 25 $\mu$                |      | ○   | ○   | ○   | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○     | ○     |
|      |               |         | 75 $\mu$                |      | ○   | ○   | ○   | ○    | ○    | ○    | ○    | ○    | ○    | ○    | ○     | ○     |
| LGF  | Film          | GC      | 75 $\mu$                |      |     | ○   | ○   | ○    | ○    | ○    | ○    | ○    | ○    | ○    |       |       |
| LCF  | Film          | CC      | 25 $\mu$                |      |     | ○   |     | ○    |      | ○    | ○    |      |      |      |       |       |
|      |               |         | 75 $\mu$                |      |     | ○   |     | ○    |      | ○    | ○    |      |      |      |       |       |
| LDF  | Film          | Diamond | 25 $\mu$                |      |     | ○   |     | ○    |      | ○    | ○    | ○    | ○    | ○    | ○     | ○     |
|      |               |         | 75 $\mu$                | ○    |     | ○   |     | ○    |      | ○    | ○    | ○    | ○    | ○    | ○     | ○     |

